



Visit product page



FOS HYDOR WASH 760

L006783

Surprisingly compact and powerful IP65 wash/beam moving head, 7 x 60watt leds RGBW, Zoom Range:3° to 45°, vortex effect lens rotation, full pixel control, waterproof protection, and low noise operation, CTO:2500K to 8000K, Luminous: 28000lm@3°@5M, ultra-lightweight 12kg.

TECHNICAL DETAILS

Product description

Versatile and super compact IP65 Hybrid Wash/Beam moving head, extremely bright 60-watt led, high CRI , bespoke optics with zoom range 3.5 optics with zoom range 3.5 to 45 degrees and vortex effect, full pixel control, linear color temperature 2000K to 8000K.

Light source / Optics

Based on 7 RGBW LEDs, of 60 Watts each.

Pixel control.

Approximate lifespan of 50,000 hours.

Zoom range from 3,5° to 45°.

Lens plate rotation, for moonflower/multi-beam effects.

9200 Total Lumen output.

Effects

RGBW Color Mixing.

Linear color temperature presets (2700 to 8000K).

Pixel control.

Moonflower/Multibeam effect.

Motorized zoom
Color presets & Macros.
Variable strobe and dimmer curves.

Control

DMX Control with 20 or 41 Channels.
Dimmer modes & speeds.
LED frequency adjustment.
RGBW calibration
3 different fan operation modes.

Technical Specifications

Touch button panel for accessing the options menu.
IP65 Certified for outdoor events.
RDM support.
IP65 3 & 5 Pin inputs/outputs.
Power supply: 100/240 Volt AC, 50/60 Hz.
Power consumption: 520 Watt maximum.
Dimensions: 309 x 210 x 463 mm.
Packing dimensions: 340 x 410 x 630 mm.
Weight: 12 Kg.

PHOTOS



PRODUCT VIDEO



ACCESSORIES



**FOS SUPER CLAMP 200
BLACK**

Professional clamp for
fixtures lifting weight 200



FC-TP-PDC-5

Professional

TruePowercon/ DMX cable
5 meter.



FC-TP-PDC-3

Professional

TruePowercon/ DMX cable
3 meter.



FC-TP-PDC-1.5

Professional

TruePowercon/ DMX cable
1.5 meter.



FOS Case Hydor Wash 760

Flight case with wheels
for 4 pcs .

